



## Explaining a Fastball's Unexpected Twist

*Investigators at Utah State University determine how pitches vary depending on spin speed, spin axis and ball orientation.*

EMBARGOED FOR RELEASE until Sunday, Nov. 18, 2018, 5:00 p.m. ET

AIP Media Line  
301-209-3090  
media@aip.org

WASHINGTON, D.C., November 18, 2018 -- An unexpected twist from a four-seam or a two-seam fastball can make the difference in a baseball team winning or losing the World Series. However, "some explanations regarding the different pitches are flat-out wrong," said Barton Smith, a professor of mechanical and aerospace engineering at Utah State University who considers himself a big fan of the game.

He and his doctoral student, Nazmus Sakib, are conducting experiments to explain how baseballs move. Sakib and Smith will present their findings at the American Physical Society's Division of Fluid Dynamics 71st Annual Meeting, which will take place Nov. 18-20 at the Georgia World Congress Center in Atlanta, Georgia.

A baseball is asymmetric owing to the figure-eight stitching pattern, and the way a baseball moves through the air depends on the degree and direction of its spin and its orientation when the hand releases it. The Magnus effect, or the force on a spinning object moving through a fluid like air, pushes in the direction that the front of the ball is spinning. So it causes a ball with topspin to drop and a ball with backspin to gain some lift -- enough to slow its fall, but not enough to overcome gravity.

This well-studied phenomenon affects most pitches except for the virtually spin-free knuckle ball, which is gripped with the thumb and fingertips. The two-seam fastball, which is gripped by the middle and index fingers along the seams, seemed to also behave in a way not explained by the Magnus effect.

Sakib and Smith focus on these two pitches, which are influenced by forces other than the Magnus effect. In their study, the researchers set up a pitching machine that hurls fastballs and knuckleballs through a smoky path. Automatic photographs, triggered by laser sensors, captured two images of the ball and smoke after release. Then, using a technique called particle image velocimetry, Sakib and Smith tracked the movements of the smoke particles to compute the velocity field around the ball and the direction of the rotating air at a given spot.

Then, they computed the “boundary layer separation” by identifying the portions of the ball’s surface where the layer of air surrounding the ball had separated to form the wake. While the boundary layer separation varies differently for the two fastball pitches as the ball rotates, the net effect is the same.

Sakib and Smith found that the two-seam pitch has a tilted spin axis due to the fact that one finger leaves the seam before the other, which can cause the ball to move sideways, unlike a four-seam fastball. In the case of the knuckleball, the point of separation can change midflight, causing the ball to randomly shift directions.

Smith is now “hoping to meet a major league pitcher who wants to use what we’ve learned through fluid dynamics to throw a better pitch.”

###

Presentation E17.1, “Velocity fields of pitched baseballs using Particle Image Velocimetry” by Nazmus Sakib and Barton Smith, will be Sunday, Nov. 18, 5:10 p.m. in Room B304 of the Georgia World Congress Center in Atlanta. Abstract:

<http://meetings.aps.org/Meeting/DFD18/Session/E17.1>

###

----- **MORE MEETING INFORMATION** -----

#### **USEFUL LINKS**

Main meeting website: <https://www.apsdfd2018.org/>

Meeting technical program: <http://meetings.aps.org/Meeting/DFD18/SessionIndex2>

Invited talks: [http://meetings.aps.org/Meeting/DFD18/APS\\_Invited](http://meetings.aps.org/Meeting/DFD18/APS_Invited)

Hotel information: <https://www.apsdfd2018.org/hotels/>

#### **GALLERY OF FLUID DYNAMICS**

At the Annual Meeting, The Gallery of Fluid Motion will consist of posters and videos submitted by attendees illustrating the science and beauty of fluid motion. More information can be found here: <https://gfm.aps.org/>.

#### **PRESS REGISTRATION**

We will grant free registration to credentialed journalists and professional freelance journalists. If you are a reporter and would like to attend, contact Rhys Leahy or the AIP Media Line ([media@aip.org](mailto:media@aip.org), 301-209-3090). We can also help with setting up interviews and obtaining images, sound clips or background information.

## **LIVE MEDIA WEBCAST**

A press briefing featuring a selection of newsworthy research will be webcast live from the conference Monday, Nov. 19. Times and topics to be announced. Members of the media should register in advance at <http://apswebcasting.com/webcast/registration/aps1118.php>.

## **ABOUT DFD**

The Division of Fluid Dynamics of the American Physical Society, established in 1947, exists for the advancement and diffusion of knowledge of the physics of fluids with special emphasis on the dynamical theories of the liquid, plastic and gaseous states of matter under all conditions of temperature and pressure. For more information about DFD, visit <https://www.aps.org/units/dfd/>.

## **ABOUT APS**

The American Physical Society (APS) is a nonprofit membership organization working to advance and diffuse the knowledge of physics through its outstanding research journals, scientific meetings, and education, outreach, advocacy, and international activities. APS represents over 55,000 members, including physicists in academia, national laboratories, and industry in the United States and throughout the world. For more information about APS, visit <https://www.aps.org/>.